
CLASSIFICATION: UNCLASSIFIED

BUDGET ITEM JUSTIFICATION	SHEET					DATE:					
P-40								Februa	ry 2004		
APPROPRIATION/BUDGET ACTIVITY				P-1 ITEM NO	MENCLATURE						
Aircraft Procurement, Navy/APN-5 Aircraft Mo	difications						EP-3 Series	Modifications			
Program Element for Code B Items:				Other Related	Program Elem	ents					
	Prior	ID								То	
	Years	Code	FY 2003	FY 2004	FY 2005	FY 2006	FY 2007	FY 2008	FY 2009	Complete	Total
QUANTITY											
COST											
(In Millions)	342.2		57.6	55.392*	28.3	55.6	62.4	29.1	30.2	10.4	671.2

This line item funds modifications to the EP-3E aircraft. The EP-3E is a land based, long range aircraft, with electronic intercept devices for detection and tracking of enemy RADARs and radios. The overall goal of the modifications budgeted in FY2005 is to improve operational capability and aircrew productivity by expanding the ESM frequency coverage, applying state-of-the-art signal exploitation/processing/display techniques, expanding direction finding (DF) frequency coverage, and expanding special signal processing capability. OSIP 29-00 funds the conversion of nine P-3 aircraft into EP-3E aircraft that will be utilized as replacements or pipelines to mitigate the aging fleet.

Research and Development is funded with National Security Agency (NSA) Defense Cryptologic Program (DCP) funds and ASDC4I Defense Airborne Reconnaissance Program (DARP). DCP R&D funds the integration of Non-Developmental Items (NDI) under the Navy's Airborne Sensor System Improvement line. The NSA line for Navy Airborne Sensor System improvement funds sensor improvements with application to the EP-3E. DCP R&D PE: 0305885G refers. DARP R&D funds are responsible for the development and acquisition of EP-3E sensors, data links, data relays, and ground stations to achieve and maintain interoperability with Defense-wide airborne reconnaissance assets. Active PAA inventory is 12 with a BAA inventory of 4 for a total of 16 aircraft at the end of OSIP 29-00. Funds budgeted in FY2005 are to continue Joint Sigint Avionics Family (JSAF) Modification Program (JMOD). The EP-3E has an average service life of 29.5 years and the first EP-3E will reach end of service in 2004.

OSIP No.	<u>Description</u>	Prior Years	FY 2003	FY 2004	FY 2005	FY 2006	FY 2007	FY 2008	FY 2009	To <u>Complete</u>	<u>Total</u>
14-95 29-00	EP-3 Sensor Improvement P-3C to EP-3E Conversion Program	142.8 160.0									142.8 160.0
11-01	DERF (non-add) JASA Modification (JMOD) DERF (non-add)	75.0 39.3 15.0	57.6	55.4	28.3	55.6	62.4	29.1	30.2	10.4	368.3
TOTAL		342.2	57.6	55.4	28.3	55.6	62.4	29.1	30.2	10.4	671.2

FY-02 Defense Emergency Response Funds (DERF) in the amount of \$75.0 augments OSIP 29-00 and \$15.0 augments OSIP 11-01.

FY-03 Defense Emergency Response Funds (DERF) in the amount of \$22.5 augments OSIP 11-01.

*FY-05 Due to poor execution \$10 million of FY 02 funds were used to forward finance FY 05.

Note: Totals may not add due to rounding.

CLASSIFICATION:

Exhibit P-3a	INDIVIDUAL MODIFICATION	
MODIFICATION TITLE: EP-3 Sensor S	System Improvement (OSIP 14-95)	
MODELS OF SYSTEM AFFECTED:	EP-3E TYPE MODIFICATION Operational Improvement / Modernization	
DESCRIPTION/JUSTIFICATION:		
Electronic Warfare Support Measure art signal exploitation/processing/dis Digital Information Exchange System System (TRIXS), USN/USAF Adviso installation in the first production airc commands. The Congressional plus-	Program (SSIP) responds directly to Operational Requirement (OR) #057-095-87 and CAF-002-88. The program procures, integrates, and installs new capabilities integrates are (ESM) weapon system to cope with the increasingly complex and dense threat environment. The required improvements in productivity will be achieved by applyin splay technique, and expanding Program signal processing capability. Tactical communications connectivity improvements include TRE Related Applications (TRAP) m-B (TADIXS-B), Tactical Digital Information Link-A and -J (TADIL-A and -J), Tactical Information Broadcast Services (TIBS), Tactical Reconnaissance Information E ory Support Network (ASN) Intelnet, DAMA-capable radios, and an upgrade to the OE-320 antenna suite. Integration and testing in the EP-3 Integrated Test Facility coraft ensured integrated system functional integrity. The SSIP provides the hardware and software essential for timely situational analysis and reporting to the fleet tacset of the CESPA included NRE for qualifying LESPA parachutes in both EP-3E and Special Project Aircraft. Procurement of parachutes was limited to the EP-3E requirup for enhanced signal exploitation/processing is achieved by Low Probability of Intercept/Specific Emitter Identification (LPI/SEI).	ng state-of-the- n, Tactical Exchange r (ITF) prior to ctical
This OSIP addresses 12 aircraft. Nii	line of the eleven EP-3E aircraft service lives end during FY2004 through FY2008.	
	equisition Strategy Review (ASR) dated 3 May 2001, program changes necessitated the replacement of JMOD MOD1 with Baseline Update. Baseline Update incorpond NT) Architecture (JASA) compliant infrastructure with SSIP and Quick Response Capability (QRC) functional improvements into the Trial Kit Installation (TKI) aircraft.	orates Joint
DEVELOPMENT STATUS/MAJOR DE	EVELOPMENT MILESTONES:	
PEO(A) approved the production pi COMOPTEVFOR operational asse JMOD Baseline Update is required	It Facility (ITF) was completed in the 2nd quarter of FY95. Based on this testing and an early operational assessment by COMOPTEVFOR, procurement of the first two system installs of SSIP Phase I. Production approval was based on follow-on qualification testing at the ITF and a ressment completed in the 2nd quarter FY96. DT was completed end of 3rd quarter FY90. OT was completed early 4th quarter FY90. The d in order to ensure the JMOD TKI aircraft has the same baseline configuration and capabilities as SSIP and QRC fleet assets. Fleet FY90. The initial phase of the LPI/SEI contract was awarded 2nd quarter FY902, and the final portion was awarded 4th quarter.	
		E

Exhibit P-3a	INDIVIDUAL MODIFICATION
MODIFICATION TITLIEP-3 Sensor System Improvement (OSIP 14-95)	
MODELS OF SYSTEM AFFECTED: EP-3E	TYPE MODIFICATION Operational Improvement / Modernization

FINANCIAL PLAN (TOA, \$ in Millions):

	Prior `	Years	FY 2	2003	FY	2004	FY	2005	FY	2006	FY	2007	FY	2008	FY	2009	To Co	omplete		TOTAL
	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$
RDT&E																				
PROCUREMENT																				
Installation Kits																				
SSIP	12	5.4																	12	5.4
LESPA	12	1.1																	12	1.
OE-320	12	.3																	12	
TADIL-J (Link-16)	12	1.2																	12	1.2
LPI/SEI	12	1.0																	12	1.0
Baseline Update	1	3.1																	1	3.
Installation Kits N/R		10.3																		10.
Installation Equipment																				
Storyteller	10	11.1																	10	11.1
Story Book	10	14.3																	10	14.3
Story Classic	10	11.7																	10	11.7
IP-1159 Replacement	10	5.0																	10	5.0
LESPA	12	1.0																	12	1.0
OE-320 Upgrade	12	1.8																	12	1.8
TADIL-J (Link-16)	12	4.0																	12	4.0
HBP Equipment		1.2																		1.2
LPI/SEI	12	8.7																	12	8.7
Baseline Update	1	6.7																	1	6.7
Installation Equipment N/R																				
Engineering Change Orders																				
Data		8.3																		8.3
Training Equipment		2.5																		2.
Support Equipment		1.5																		1.
ILS		7.8																		7.
Testing		1.0																		1.
Other Support		19.3																		19.
Interim Contractor Support																				
Installation Cost	43	14.4																	43	14.
TOTAL PROCUREMENT	150	142.8																	150	142.

Notes:

2. Asterick indicates amount less than 51K

^{1.} Totals do not add due to rounding

Exhibit P-3a																			
								10DIE:0	A TIO5 :	T.T. F	ED 0 0						05)		
MODELS OF SYSTEMS AFFECTED: EF	-3E						. M	IODIFIC	ATION				-		ment (O				
INSTALLATION INFORMATION:				_							LESPA	OE-32	J/TADIL	-J(Link-	-16)/Bas	eline U	pdate		
METHOD OF IMPLEMENTATION: Co	ommer	cial Co	ontract	or Dep	ot Instal	llation													
ADMINISTRATIVE LEADTIME:		8	- 1	Months				PROD	UCTION	N LEAD	TIME:		6		Months	-			
CONTRACT DATES: FY 20	003:		FY	2004:		F	Y 2005:												
DELIVERY DATE: FY 20	003.		FY	2004		F	Y 2005:												
SELIVERY BATE.			• •	2001.		- '	1 2000.		(Sir	n Million	s)								
Cost: Prior Ye	ars	FY 20	003	FY	2004	FY	2005	FY	2006	1	2007	FY	2008	FY	2009	To Co	omplete	TO	TAL
		Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$
FY 2002 & PY (37) kits * 37	2.1																	37	2.1
FY 2003 () kits																			
FY 2004 () kits																			
FY 2005 () kits																			
FY 2006 () kits																			
FY 2007 () kits																			
FY 2008 () kits																			
FY 2009 () kits																			
To Complete () kits	-																		
TOTAL * 37	2.1					L												37	2.1
* Includes 12 LESPA; 6 OE-320 "O" Level Installation Schedule	ııstalis	, г вая	seille C	урааге; (o OE-32	us and t	weive (12	z) TADIL	- ∪ (LINK-`	io) insta	iialiONS.								
FY 2002 FY 200	3			FY	2004			FY 2	2005			F	Y 2006			F	Y 2007		Ì
	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	
In 37					•														
Out 37																			
F)/ 0000			- FV	2000			Г.	1		1									
FY 2008			FY2	2009		J	Го	I											
1 1 2 1 3 1	4	1	2	3	4	Con	nplete	TO	TAL		* JMOE) Base	ine Upd	ate Inst	tallation				
1 2 3 In	4	1	2	3	4	Con	nplete	1	TAL 37		* JMO) Base	ine Upd	ate Inst	tallation				

Exhibit P-3	3a																					
MODELS	OF SYSTE	MS AFFE	CTED:	EP-3	E				N	10DIF	ICAT	ION T	ITLE:	EP-3	Sens	or Syste	em Impi	roveme	ent (OS	SIP 14	-95)	
INSTALLA	ATION INFO	ORMATION	N٠											LPI/S	EI (SI	P-160) ((Congre	essiona	ıl Add	Projec	t)	
	OF IMPLEI			Cam.		al Cant		. 10040	سمنامال													
WE I HOD	OF IIVIPLE	WENTATIC	JIN:	Comi	nercia	al Cont	racio	ınsıa	liation													
ADMINIST	FRATIVE LE	EADTIME:			8	Months	3	-			PRO	DUCT	TION	LEAD	TIME:	24	•	Months	-			
CONTRA	CT DATES:	:	FY	2003:	:	-	FY	2004:	:		FY	2005:		-								
DELIVER'	Y DATE:		FY	2003:	:	_	FY	2004:	:	_	FY	2005:		_								
														(\$ in N	/lillion	s)						
	Cost:		Prior `	Years	+	2003	FY	2004	+	2005	FY	2006	FY	2007	FY	2008	FY 2	2009	То Со	mplet	TO	TAL
			Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$
FY 200	2 & PY (12)) kits	12	1.2	-		┞	<u> </u>	<u> </u>				_								12	1.2
FY 200	3 () kits			<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>									
FY 200	4 () kits			<u> </u>	<u> </u>	<u> </u>	ـــــ	<u> </u>	<u> </u>			<u> </u>	<u> </u>									
	5 () kits			<u> </u>	<u> </u>	<u> </u>	ـــــ	<u> </u>	<u> </u>			<u> </u>	<u> </u>									
FY 200	6 () kits			<u> </u>	<u> </u>		┞	<u> </u>	<u> </u>				_									
FY 200	7 () kits			<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>				<u> </u>									
FY 200	8 () kits			<u> </u>	<u> </u>	<u> </u>	ـــــ	<u> </u>	<u> </u>			<u> </u>	<u> </u>									
FY 200				<u> </u>	<u> </u>		<u> </u>	<u> </u>	₽	<u> </u>			<u> </u>									
	nplete () kits	3		├	⊢	<u> </u>	⊢	├	╄	<u> </u>		<u> </u>	┢									
TOTAL			12	1.2	:		<u> </u>														12	1.2
Installatio	on Schedul	e																				
	FY 2002		FY 200	3			FY 2	2004			FY 2	2005			F١	2006			FY 2	007		i
	& PRIOR	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	i
In	12																					i
Out								<u> </u>					2									ı
Г		F\/ 0000			$\overline{}$		0000	—	Т.		$\overline{}$	—	1									
-	1	FY 2008	3	4	1	FY 2	2009	4	-1	To nplete	TC	TAL										
In	· ·			<u> </u>	Ė		Ť	Ė	10011	. 1010			1									
Out													1									
			•										-									

Exhibit P-	3a																						
MODELS	OF SYST	EMS AFF	ECTE	D:	EP-3E							MODIF	ICATION	TITLE:	EP-3 Ser	nsor Sy	stem Impr	oveme	nt (OSIP 1	14-95)			
	ATION INF														SSIP								
METHOD	OF IMPL	EMENTA	TION:		Commerc	cial Cor	ntractor Ins	stallatio	on														
ADMINIS	TRATIVE	LEADTIN	1E:				Months		•			PROD	DUCTION	LEADT	IME:				Months	_			
CONTRA	CT DATE:	S:			FY	2003:		_	FY 2004:		FY	2005:											
DELIVER	Y DATE:				FY	2003:		_	FY 2004:		FY	2005:		_									
													(\$ in Milli	ons)								-	Ī
	Cost:		Prior	Years	FY 20	003	FY 20)04	FY 20	005	FY 20	006	FY 20	007	FY 20	008	FY 20	009	To Com	plete	ТОТ	AL	
			Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	
FY 2002	& PY (12) kits	12	11.0				igsqcup													12	11.0	
FY 2003	() kits							igsqcup															
FY 2004	() kits							igsqcup															
Y 2005	() kits																						
Y 2006	i () kits																						
Y 2007	() kits																						
FY 2008	() kits																						
FY 2009	() kits																						
To Com	plete () kits	S						Ш															
TOTAL			12	11.0																	12	11.0	l
nstallatio	n Schedul	e																				1	
	FY 2002	<u> </u>		2003	1 .	<u> </u>	FY 2			H .	FY 2		1 .	l .		2006	I .	<u> </u>	FY 2			-	
	& PRIOR	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4		
1	11	<u> </u>	1					 															
ut	9	1	1																			J	
		FY 200	_	1			2009		То														
	1	2	3	4	1	2	3	4	Comp	lete	TOT		NOTE: E		. ,	lations	reflect red	uction					
١			1					$\vdash \vdash$			11		due to Cr	ete mis	shap.								
Out											11		J										

Exhibit P-3a		INDIVIDUAL MODIFICATION		
MODIFICATION TITLE P-3C to EP-3E	Conversion Program (OSIP 29-00)			
MODELS OF SYSTEM AFFECTED:	EP-3E	TYPE MC	ODIFICATION:	Operational Improvement /
			N	Modernization
DESCRIPTION/ ILISTIFICATION:				

The P-3C to EP-3E conversion Program, designated as a No ACAT program, converts five P-3C aircraft to EP-3E aircraft. This OSIP responds to primary and backup EP-3E inventory requirements in VQ-1/2 Required Operational Capabilities Projected Operational Environment (ROC/POE) dated 9 Feb 2000, OPNAVINST 5442.8, and CNO letter Ser N880G10/0U661331 dated 30 May 00. Primary Aircraft Authorization (PAA) of 12 aircraft are required to perform operational missions. Backup Aircraft Authorization (BAA) of four aircraft (i.e., pipeline) are required to permit scheduled and unscheduled maintenance, modifications, inspections and repair without reduction of aircraft available for operational missions. The OSIP also addresses mission avionics requirements in Operational Requirement (OR) #057-095-87 and the CAPSTONE ORD (CAF-002-88). The first conversion replaces an EP-3E damaged in a 1997 mishap and struck from the PAA inventory. The second, third, fourth and fifth conversions are pipeline aircraft.

This program was developed to maximize procurement efficiency by grouping the aircraft versus individual buys. Funding in FY00 covered NRE for the initial three aircraft. Funding in FY01 procures two aircraft while FY02 funding procures three aircraft and ARIES II/SSIP Obsolescence Risk Mitigation NRE. Four aircraft will be procured under the same contract in a configuration sufficient for induction into the JMOD program (OSIP 11-01), and the fifth aircraft will be configured as a JMOD aircraft. FY01 Intelligence Program Decision Memorandum (IPDM) moved funding for the second pipeline aircraft from FY03 to FY02.

This OSIP includes \$60.0M in Defense Emergency Response Funding (DERF) for an additional conversion aircraft and \$15.0M for PR-32 avionics replacements/repairs. PR-32 avionics will be installed during the SSIP modification.

DEVELOPMENT STATUS/MAJOR DEVELOPMENT MILESTONES:

This program is a post-Milestone III, based on SSIP Milestone III dated 29 March 1996. The NRE contract was awarded in Feb 2001. The production contract for the replacement and first pipeline aircraft was awarded in September 01. The FY02 option for the second through fourth pipeline aircraft was exercised in the 2nd quarter FY02.

Exhibit P-3a	INDIVIDUAL MODIFICATION
MODIFICATION TITL P-3C to EP-3E Conversion Program (OSIP 29-00)	
MODELS OF SYSTEM AFFECTED: EP-3E	TYPE MODIFICATION: Operational Improvement / Modernization
FINANCIAL PLAN (TOA, \$ in Millions):	

	Prio	r Years	FΥ	2003	FY	2004	F	2005	F١	2006	F١	/ 2007	F	Y 2008	F١	/ 2009	То	Complete	Т	OTAL
	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$
RDT&E																				
PROCUREMENT																				
Installation Kits																				
REPLACEMENT AIRCRAFT	1	11.0																	1	11.0
PIPELINE AIRCRAFT	3	35.7																	3	35.7
DERF AIRCRAFT	1	16.4																	1	16.4
CROSSDECK AIRCRAFT																				
Installation Kits N/R		15.8																		15.8
Installation Equipment																				
REPLACEMENT AIRCRAFT		**																		**
PIPELINE AIRCRAFT	3	34.3																	3	34.3
DERF AIRCRAFT	1	20.6																	1	20.6
DERF PR-32 AVIONICS	1	14.4																	1	14.4
CROSSDECK AIRCRAFT																				
Installation Equipment N/R		5.8																		5.8
Engineering Change Orders																				
Data		1.1																		1.1
Training Equipment																				
Support Equipment		.5																		.5
Testing		2.6																		2.6
ILS		2.0																		2.0
Other Support		4.0																		4.0
Interim Contractor Support																				
Installation Cost	5	71.1																	5	71.
TOTAL PROCUREMENT	10	235.0											1						10	235.0

Notes:

^{**} Replacement aircraft B Kit to be crossdecked from crash-damaged aircraft

^{1.} Totals do not add due to rounding

NOTE: One (1) replacement and four (4) pipeline aircraft will be procured in a JMOD configuration.

^{2.} Asterisk indicates amount less than 51K

Exhibit P-3a	ı																						
MODELS O	F SYSTEM	AS AFFEC	TED:	EP-3E							MOD	IFICATIO	N TITLE:	P-3C to EP	-3E C	onversion I	Program	ı					
INSTALLAT	ION INEO	DMATION												Replacem	ent/Pi	peline/DE	RF Air	craft					
INSTALLAT	ION IN O	KWATION	•																				
METHOD O	F IMPLEM	IENTATIO	N:	Comme	rcial Contr	ractor Ins	tallation																
ADMINISTR	ATIVE LE	ADTIME:			8	i	Months	•						Various Various		Months Months	•						
CONTRACT	DATES:	F	Y 2003:		_	FY 2004:			FY200		CROSSI	DECK AIN	CKAI I.	various		WOTHERS							
DELIVERY I	DATE:	F`	Y 2003:		_	FY 2004:	:		FY200		_												
												(\$ in Millio	ns)										
	Cost: Prior years FY 2003 FY 2004 FY 2005 FY 2006 FY 2007 FY 2008 FY 2009 To Complete TOTAL Qty \$ Qty<																						
			Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	
FY 2002	& PY (5) k	its	5	71.1																	5	71.1	
FY 2003	() kits																						
FY 2004	() kits																						
FY 2005	() kits																						
FY 2006	() kits																						
FY 2007	() kits																						
FY 2008	() kits																						
FY 2009																							
To Comp	lete () kits																						
TOTAL			5	71.1																	5	71.1	
Installation	Schedule																						
	FY 2002	F	Y 2003				FY 20	004			FY 2	2005			FY:	2006			FY 2	2007			
	& Prior	1	2	3	4	1	2	3	4*	1**	2	3***	4****	1	2	3	4	1	2	3	4		
In	5																						
Out										1		2	1										
									1	_			Ī										
	4	FY 20 2	08 3	4	4	FY 20	3	4	1	To		т.				t aircraft (
In	1	2	3	4	1	2	3	4	Co	mplete	10	TAL		** Pipelir									
Out														**** Pipelii		,)					
			I.			1			ı		ı			po		an		,					

Exhibit P-3a INDIVIDUAL MODIFICATION

MODIFICATION TITLEEP-3E Joint Airborne SIGINT Architecture (JASA) Modification Program (JMOD) (OSIP 11-01)

MODELS OF SYSTEM AFFECTED: <u>EP-3E</u>
DESCRIPTION/JUSTIFICATION:

TYPE MODIFICATION: Operational Improvement / Modernization

The EP-3E JASA Modification (JMOD) Program upgrades the capabilities of the Sensor System Improvement Program (SSIP) configuration of the EP-3E. This OSIP responds to Operational Requirement Document (ORD) #571-78-01 and the CAPSTONE ORD (CAF-002-88). JMOD is an evolutionary acquisition program consisting of three block mods. MOD 1 of this program updates the EP-3E infrastructure, improves auto-ESM with the Story Finder system, incorporates Joint Signal Processor (JSP), incorporates SSIP corrections, and incorporates Quick Response Capabilities (QRC) (including the SINCGAR upgrade and IR Strobes modifications) into JMOD. MOD 2 will incorporate a low band capability which improves special collection capability and adds the Common Data Link (CDL) allowing the EP-3E to serve as a network-centric airborne SIGINT collection element capable of sharing data with ground, air, and ship-based operators. MOD 3 incorporates precision targeting. Nine of the 16 EP-3E aircraft (BAA) will be managed through Special Structural Inspections (SSI-Ks) beyond JMOD Full Operational Capability (FOC).

The Baseline Update to MOD 1 is required in order to ensure the JMOD TKI aircraft has the same baseline configuration and capabilities as SSIP and QRC fleet assets

This OSIP includes FY02 Congressional Plus-ups for Hyperwide/Deltawing and VME Tuners; and FY03 Congressional Plus-ups for Radio Frequency Distribution (RFD) Upgrades, JMOD 1 Upgrades and SIGINT Tuner. This OSIP includes \$15.0M in FY02 Defense Emergency Response Fund (DERF) funding for SIGINT.

Beginning in FY03 and continuing in FY05 through FY07, the EP-3E platform will receive COMINT/ELINT upgrades. The FY05-FY07 COMINT/ELINT upgrades will be incorporated into the JMOD Common Baseline.

FY04 funding includes four Congressional Plus Ups: JMOD Upgrades (\$10.8M), RFD Upgrades (\$2.4M), VME Tuners (\$7.7M) and Tactical Communications Systems Upgrades (\$3.4M).

Starting in FY05, the JMOD Baseline is a restructure to the original JMOD program that brings all EP-3E platforms into a single configuration on an accelerated timetable. JMOD Baseline incorporates 60% of JMOD 1 components into the existing EP-3E backbone and accelerates elements of JMOD 2 and 3 via spirals. JMOD Baseline also includes various Quick Reaction Capabilities and OEF/OIF installs and addresses mission avionics obsolescence. This OSIP was restructured to fund the acceleration of JMOD 2 and JMOD 3 capabilities by three years by incorporating their capabilities into the ForceNet and Precision Targeting spirals. FY04 funding procures existing backbone to bring the five conversion aircraft to the configuration necessary to receive JMOD Baseline. This OSIP addresses a PAA of 12 EP-3E aircraft.

DEVELOPMENT STATUS/MAJOR DEVELOPMENT MILESTONES:

RDT&E funded development commenced in FY97 with non-recurring engineering for development and integration of a MOD 1 prototype kit installed into an SSIP configured EP-3E aircraft in the beginning of the 1st quarter FY01. The JMOD MOD 1 LRIP decision was based on the JMOD CDR (2nd quarter FY00) and the Baseline Update CDR (3rd quarter FY02). MOD 1 DT/OT has evolved into an FOT&E on upgrades to existing architecture and a DT assist on Story Finder capabilities.

Follow on Test and Evaluation is scheduled for 2nd Qtr FY 04 for the existing architecture with obsolescence replacement. In conjunction with this testing, a DT assist will be conducted on Story Finder. These events will provide the basis for a Milestone III decision scheduled for 3rd Qtr FY 04. Spiral 1 is scheduled for test/evaluation in 2nd Qtr FY 05. Spiral 2 test/evaluation is scheduled for a 1st Qtr FY 06. Program reviews will provide authority to procure hardware after each successful OT.

Exhibit P-3a INDIVIDUAL MODIFICATION

MODIFICATION TITLEEP-3E Joint Airborne SIGINT Architecture (JASA) Modification Program (JMOD) (OSIP 11-01)

MODELS OF SYSTEM AFFECTED: EP-3E

TYPE MODIFICATION: Operational Improvement / Modernization

FINANCIAL PLAN (TOA, \$ in Millions):

	Prior Years		FY 2003		FY 2004		FY 2005		FY 2006		FY 2007		FY 2008		FY 2009		To Complete			
	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$
RDT&E (H2694)		18.3		2.5		13.3		10.3												
PROCUREMENT																				
Installation Kits																				
BLOCK MOD 1			3	4.0																
VME Tuners	1	.3	1	.8																
IR STROBES MOD	10	.2																		
SINCGARS Upgrade	16	1.2																		
COMINT/ELINT Upgrades				1.9																
RFD Upgrades			4	.4																
JMOD Baseline					5	4.5	4	4.0												
Installation Kits N/R		1.6		3.6		2.9		1.0												
Installation Equipment																				
BLOCK MOD 1			3	11.1																
VME Tuners	1	.5	1	1.9	4	7.7														
IR STROBES MOD	10	.1																		
SINCGARS Upgrade	16	.6																		
DERF SIGINT		14.2																		
COMINT/ELINT Upgrades				7.2																
RFD Upgrades			4	2.0	5	2.4														
JMOD Upgrades					5	10.8														
Tactical Comms System Upg					16	3.4														
JMOD Baseline					5	3.5	4	12.0												
QRC																				
Installation Equipment N/R		15.8		6.4		4.2		1.0												
Engineering Change Orders																				
Data		5.9		1.4		2.4		1.4												
Training Equipment		2.3		2.4		3.4		1.4												
Support Equipment		2.1		.8		.2		.3												
Testing		2.5		4.7		2.0		2.0												
ILS		2.6		3.2		1.9		1.4											Ш	
Other Support		3.8		4.0		4.0		2.1												
Interim Contractor Support																				
Installation Cost	16	.7	16	1.9	5	2.2	2	1.6												
TOTAL PROCUREMENT	54	54.3	16	57.6	40	55.4	8	28.3												

Notes:

- 1. Totals do not add due to rounding
- 3. Two JMOD 1 kits are funded under the Conversion OSIP (29-00) and
- 2. Asterisk indicates amount less than 51K
- one JMOD 1 kit was funded as an R&D TKI.

Exhibit P-3a																										
MODELS O	F SYSTEM	IS AFFEC	TED:	EP-3E						М	MODIFICATION TITLE: EP-3E Joint Airborne SIGINT Architecture (JASA) Modification Program (JMOD) (OSIP 11-01)															
NSTALLAT	ON INFO	RMATION	ı:											JMOD In	stallat	ions/JN	IOD Ba	seline								
METHOD O	F IMPLEM	IENTATIO	N:	Comme	ercial C	ontracto	or Instal	lation/O	-level																	
ADMINISTRATIVE LEADTIME: 6/12 Months												JMOD PRODUCTION LEADTIME: 6/12 Months														
CONTRACT	DATES:						Y 2004:	2/04	_	FY	2005:	1/05	_													
ELIVERY	DATE:	FY	2003:		_	F	Y 2004:	8/04	_	FY	2005:	7/05	_													
													(\$ in Mi	llions)									1			
	Cost:		Prio	r years	FY	2003	FY	FY 2004		2005	FY 2006		FY	FY 2007		FY 2008		2009		o Complete		OTAL				
			Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$				
FY 2002	& PY (1) k	its	1	.1																						
FY 2003	. ,																									
FY 2004							5	2.2					-													
FY 2005					-				2	1.6																
FY 2006	. ,							1					1													
FY 2007													1													
FY 2008	••																									
FY 2009	() Kits lete (1) kit	s																								
TOTAL	1010 (1) 111		1	.1			5	2.2	2	1.6																
* JMOD kit ** Installati Installation	on efforts	for FY04 (e concu	rrent wi	th the .	JMOD E	aselin	e installa	ations o	r Special	Struct	tural Ins	pection	s (SSIs)			•					
	FY 2002	F	Y 2003			FY		2004			FY	2005	,		FY 2006				FY	2007						
	& Prior	1	2	3	4	1	2	3	4	1	2	3	4*	1	2	3*	4	1	2**	3	4					
In			 		1			 	5				2				 		<u> </u>		<u> </u>					
Out					1				5				2								<u> </u>	j				
		FY 20			FY 2009 T			То				* JMOD Baseline Spiral 1														
	1**	2	3	4	1	2	3	4	Con	nplete	TC	OTAL	4	** JMOD	Base	line Spi	ral 2									
					1]													
In Out																										

Exhibit P-3a	ì																								
MODELS OF SYSTEMS AFFECTED: EP-3E MODIFICATION TITLE: EP-3E Joint Airborne SIGINT Architecture (JASA) Modification Program (JMOD) (OSIP 11-01) IR Strobes Mod / SINCGARS Upgrade / COMINT/ELINT/RFD Upgrades/SIGINT Tuner																									
INSTALLAT	NSTALLATION INFORMATION:																								
METHOD C	F IMPLEM	MENTATIC	N:	Comme	rcial Co	ontracto	r Install	ation																	
ADMINISTRATIVE LEADTIME: 1							Months	-			PROI	OUCTION	N LEAD	OTIME:		3/12		Months	-						
CONTRAC	T DATES:	F	/ 2003:	3/03	_	F	Y 2004:		-	FY 2005:															
DELIVERY DATE: FY 2003: 3/04 FY 2004: FY 2005:																									
													\$ in Mi		1				ī						
	Cost:			Years		2003		2004		2005		2006		2007		2008		2009		omplete		OTAL			
-			Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$	Qty	\$			
	& PY (26)	kits	15	.4	11	.4															26				
	(5) kits *				5	1.5															5	1.5			
FY 2004																									
FY 2005	••																								
FY 2006																									
FY 2007	••																								
FY 2008																									
FY 2009																									
	olete () kits		45		40	4.0															- 04	0.0			
TOTAL * Ougantitie	es vary in F	V02 for 0	15		16 Canar		I Dive ···	o for 4.	ייי	ared -	0044	Tuner -	so fur	lad in EV	22						31	2.3			
Installation	n Schedule)			Congn	essiona			(FD 0)	ogrades			re runc	Jed III F TO											
	FY 2002		Y 2003			L.	FY 2					2005		<u> </u>	FY 20					2007					
l	& Prior	1	2	3 *	4 **	1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4				
In Out	15	5	6	4	1 11			4																	
Out	15		<u> </u>	L	11		L	4	1				l	<u> </u>			L								
		FY 20	00			FV	2000		-	-0	I		ī	* DED !!	nara d	oo will t	o instal	lad ista	1 Car	voroico :	niroro#				
												OTAL		* RFD U											
In				-	L'	_		-	0011	·pioto		31		CIOIIV	. ruin	O. 11111 D	o motan		. 0011	. 5151611 6	01 411				
Out												31													
									-																